

A

- AD1847 585. *See also* SoundPort interfaces
- AD1849 572, 578. *See also* SoundPort interfaces
- Adaptive equalizer 84
 - architectures 105
 - complex 106
 - complex filter listing 109
 - decision-directed adaptation 115
 - flowchart 112
 - history 98
 - least mean squared (LMS) algorithm 84, 109
 - LMS routine 111
 - performance index 105
 - practical considerations 119
 - real 106
 - sampling rates 107
 - theory of 102
 - training sequence 114
- Adaptive predictor 296, 297
- Adaptive quantizer 296, 297
- Adaptive sample rate decimation 218
- ADPCM (G.721) 293
 - implementation 300
 - receiver 298
 - subroutines 301
 - transmitter 294
- ADSP-2100 family
 - ADSP-2101 architecture 7
 - base architecture 4
 - data memory address (DMA) bus 6
 - data memory data (DMD) bus 6
 - overview 1
 - program memory address (PMA) bus 6
 - program memory data (PMD) bus 6
 - result (R) bus 7
- ADSP-2101 1. *See also* ADSP-2100 family
- ADSP-2101 architecture 7. *See also* ADSP-2100 family
 - on-chip memory 7
 - programmable timer 9
 - serial ports ("SPORTs") 8

Index

ADSP-2111 2. *See also* ADSP-2100 family
ADSP-2111 architecture 9. *See also* ADSP-2100 family
 host interface port (HIP) 9
ADSP-21msp50/5x 2. *See also* ADSP-2100 family
ADSP-21msp5x architecture 10. *See also* ADSP-2100 family
 analog interface 10
 codec 10
ALU 2, 4. *See also* ADSP-2100 family, base architecture
Answer mode descrambler 23. *See also* V.32
Answer mode scrambler 23. *See also* V.32
APCM inverse quantization 219
APCM quantization 218
Arithmetic/logic unit 2, 4
Assembly language 11
Auto-correlation 209
Autobaud 561, 564

B

Barrel shifter 2, 4. *See also* ADSP-2100 family, base architecture
Baud rate 561, 564
Bilinear transformation 514
Biquad filter 525. *See also* IIR biquad filter
Boot pages 637. *See also* Memory interfacing
Booting through the serial port 631. *See also* Loading through SPORT
Buses 6. *See also* ADSP-2100 family

C

Call mode descrambler 23. *See also* V.32
Call mode scrambler 22. *See also* V.32
Cepstral coefficients 338
Channel equalization 101
Circular buffers 544. *See also* Modulo addressing
Comfort noise insertion (CNI) 205. *See also* GSM
Companding
 A-law 293
 μ -law 293
Continuous phase frequency-shift keyed modulation 120
 flow diagram 122
 implementation 121
 listing 125
 methodology 120
Control systems 503. *See also* Digital control systems
Convolutional code 37. *See also* Trellis coding

Index

D

- Data address generator 5
- Data scrambler 18, 127, 152
- DCT 443. *See also* Discrete cosine transform
- Decoder 220, 294. *See also* GSM
 - higher sub-band decoder 298
 - lower sub-band decoder 299
- Descrambler 22. *See also* V.32
 - programs 25
- Development system
 - Assembler 13
 - C Compiler 14
 - EZ-ICE® 13
 - EZ-LAB® 13
 - Linker 13
 - PROM Splitter 14
 - Simulator 14
 - System Builder 13
- Digital control system *See also* N'th order digital controllers
 - ADSP-2101-based actuator controller 506
 - benchmarks 522
 - hardware implementation 505
 - model 504
 - overview 503
 - PID controller 511
 - software implementation 507
- Digital mobile radio (DMR) 205. *See also* GSM
- Digital tone detection 481. *See also* Goertzel algorithm
- Discrete cosine transform (DCT) 443
 - benchmark times 447
 - comparison with Fourier transform 445
 - computational methods 449
 - indirect computation 449
 - listings 455
 - transform coefficients 444
 - two-dimensional DCT 448
 - zig-zag scanning of DCT coefficients 453
- Double-precision IIR biquad 531, 534
- Double-precision multiply routine 529

Index

DRAM

- CAS 608, 610
- fast page mode 613
- listings 618
- multiplexed memory addressing 607
- OE 611
- page mode 613
- RAS 608, 609
- read timing 611
- read/write timing 607, 608
- refresh 614
- refresh timing 615
- WRITE 611
- write timing 612

- Dynamic time warping 333, 342
 - time warping boundaries 344

E

Echo cancellation

- algorithm 82
- benchmarks 97
- flowchart for LMS stochastic gradient algorithm 85
- frequency offset compensation 88
- implementation of LMS algorithm 84
- LMS adaptive filter block diagram 84
- LMS stochastic gradient code listing 88
- telephone channel block diagram 81

Encoder 207, 294. *See also* GSM

- circular buffering 300
- higher sub-band encoder 296
- lower sub-band encoder 296

End point detection 337

Equalizer 105. *See also* Adaptive equalizer

EZ-LAB® Evaluation Board 604, 617

F

Filter coefficients 158

G

Goertzel algorithm

- benchmarks 489
- detection time 484
- frequency resolution 484
- Goertzel coefficients 488
- leakage loss 483
- single tone detection 484, 485
- symbol detection 484

Index

Group special mobile (GSM) 205
 benchmarks 222
 decoder 220
 encoder 207
 listings 223
 long term prediction (LTP) 207
 speech codec 205
 voice activity detection 205

H

Hardware interfacing 571
 AD1847 585
 AD1849 572, 578
 DRAM 603
 memory 603
 SoundPorts 571
Hilbert transform 90
 implementation 91
 listing 96
Hou's fast discrete cosine algorithm 449. *See also* Discrete cosine transform
Human speech production
 excitation 330
 filtering 330

I

IIR biquad filters 525. *See also* Multiprecision filters
 biquad filter subroutine 525
 filter characteristics 549
 optimized 16-bit biquads 544
 optimized basic biquad filter routine 546
 second-level optimized biquad filter routine 548
 second-order biquad 525
Image compression
 applications of 443
Index registers 454
Interfacing 571. *See also* Hardware interfacing
Inverse adaptive quantizer 298, 299
Isolated word recognition 340

L

Least mean squared (LMS) algorithm 84
Levinson-Durbin recursion 175
Linear prediction
 filter 157
 filter coefficients 158
 speech synthesis filter 158

Index

- Linear predictive coding (LPC) 205, 207, 331
 - 2.4 kbits/s 163
 - 7.8 kbits/s 159
 - analysis 336, 338
 - parameters 158
 - predictor coefficients 338
 - synthesis 158
- loader
 - loader option 638
- Loading through SPORT
 - flow diagram 633
 - implementation 632
 - listing 636
- Logarithmic-area-ratios (LAR)
 - coding of 212
 - decoding of 212
 - quantization 212
 - transformation of 214
- Long term analysis filtering 216
 - cross-correlation 216
 - long term correlation lag 216
- Long term prediction (LTP) 207. *See also* GSM
- Long term synthesis filtering 217, 221
- LPC
 - 2.4 kbits/s 163
 - 7.8 kbits/s 159
 - parameters 158
 - synthesis 158
- LPC analysis 336, 338
- M**
- Memory buses 6. *See also* ADSP-2100 family
- Memory interfacing
 - loader option 638
 - boot pages for program memory 637
 - DRAM 603
 - hardware implications 640
 - SRAM 603, 637
 - use of the C-Compiler 641
 - using external PM ROM 640
 - using internal & external PM RAM for code 639
- Modem 17
- Modulation 75, 140. *See also* Modem
- Modulo addressing 544
- Monitor 631. *See also* Loading through SPORT

Index

Multiplier/accumulator (MAC) 2, 4. *See also* ADSP-2100 family, base architecture
Multiprecision filters 527. *See also* IIR biquad filters
 double-precision IIR biquad 531, 534
 double-precision multiply routine 529
 half, double-precision IIR biquad subroutine 539
 half, triple-precision IIR biquad subroutine 543
 multiprecision multiplication 528
 optimized double-precision IIR biquad subroutine 537

N

Notch filter
 example 520
 routine 522
N'th order digital controllers
 analog-controller-based digital design 513
 bilinear transformation 514
 fourth-order direct form controller 517
 implementation 517
 second-order biquad section 515
 state-space design 515
 structures 515
Nyquist theory 482

O

Optimized filters 544. *See also* IIR biquad filters

P

Parameters for LPC
 excitation 158
 filter coefficients 158
 gain 158
PID controller
 backward difference 509
 design 508
 implementation 511
 Kd 509
 Ki 509
 Kp 509
 routine 512
Pre-emphasis filtering 208
Predictor coefficients 338
Program sequencer 5. *See also* ADSP-2100 family, base architecture
Pulse shape filter routine 19, 138

Index

Q

- Quadrature amplitude modulation (QAM)
 - block diagram 76
 - demodulator block diagram 77
 - demodulator code listing 80
 - implementation 78
 - methodology 75
- Quadrature mirror filter 294
 - receive 300
 - transmit 294

R

- Raised cosine filter 32
 - formula 33
 - implementation 33
 - rolloff factor 33
- Random number generator routine 139
- Recognition 329. *See also* Speech recognition
- Recognition library 331
- Reflection coefficients
 - coefficients 210
- Regular pulse excitation (RPE) 207. *See also* GSM
 - adaptive sample rate decimation 218
 - APCM inverse quantization 219
 - APCM quantization 218
 - encoding 217
 - reconstructed short term residual signal 219
 - weighting filter 217
- Rounding (for GSM)
 - multiply with rounding 206
- RS.232 552. *See also* UART

S

- Sampling frequency for digital tone detection
 - good sampling frequency 485
 - maximum error-squared value 482
 - Nyquist theory 482
 - selecting sampling frequency 482
- Schur recursion 209, 210, 336
- Scrambler 21. *See also* V.32
 - programs 25
- Serial port
 - loading the ADSP-2101 631
 - using as UART 551

Index

Shifter 4. *See also* ADSP-2100 family, base architecture
Short term analysis filtering 213, 215
Short term synthesis filtering 220
Signal modulation routine 75, 140
signal_map 46
Software tools 13. *See also* Development system
SoundPort interfaces
 ADSP-2101/AD1847 585
 ADSP-2101/AD1847 demonstration routine 602
 ADSP-2101/AD1847 talk-through routine 589
 ADSP-2105/AD1849 578
 ADSP-2105/AD1849 talk-through routine 584
 ADSP-2111/AD1849 572
 ADSP-2111/AD1849 talk-through routine 577
Speech codec 205. *See also* GSM
Speech compression
 ADPCM 293
 GSM 205
 LPC 157
Speech recognition
 demonstration shell 346
 executive shell 346
 filter 331
 hardware implementation 349
 K-Nearest Neighbor 341
 recognition library 331
 recognition phase 330, 333
 software implementation 334
 speaker dependent systems 330, 332
 speaker independent systems 330, 332
 theory of 330
 training phase 330, 332
Speech synthesis filter 158
SRAM 637
Sub-band ADPCM (G.722) 293. *See also* ADPCM
 subroutine descriptions 301

Index

T

- Timer interrupt routine 561
- Tone detection applications *See also* Goertzel algorithm
 - DTMF 481, 484
 - remotely controlled equipment 481
- Trellis encoding 37
 - block diagram 38
 - convolutional encoder 41
 - convolutional encoder block diagram 41
 - convolutional encoder routine 45
 - differential encoder 40
 - differential encoder lookup table 40
 - implementation 39
 - Trellis encoder program 43

U

- UART
 - autobaud 561, 564
 - baud rate 561, 564
 - character echo example 567
 - example system configuration 552
 - full-duplex operation 551
 - initialization routine 553
 - interrupts 552
 - receive character routine 563
 - RS-232 line driver 551
 - timer 552
 - timer interrupt routine 553
 - transmit character routine 563
- Unvoiced sound 157, 158
- Unvoiced speech 330

V

- V.27 ter
 - 4-point V.27 ter constellation 129
 - 4-point V.27 ter phase changes 128
 - 8-point V.27 ter constellation 128
 - 8-point V.27 ter phase changes 127
 - data acquisition routine 134
 - data scrambler 18, 127, 152
 - data scrambler routine 135
 - IQ generator routine 137
 - main V.27 ter routine 133
 - pulse shape filter routine 19, 138
 - random number generator routine 139
 - signal modulation routine 75, 140
 - transmitter 126

Index

V.29

- 8-point V.29 phase changes 141
- constellation 142, 143
- data acquisition routine 151
- data scrambler routine 152
- IQ generator routine 154
- main V.29 routine 150

V.32

- adaptive equalization 98. *See also* Adaptive equalizer
- adaptive equalizer 20
- descrambler 21, 22
- differential decoder 21
- echo cancellation 81
- programs 25
- pulse shape filters 19. *See also* Raised cosine filter
- quadrature amplitude modulation (QAM) 75
- recommendation 17
- scrambler 18, 21
- signal mapping 19
- transmitter 18
- Viterbi decoder 21
- Viterbi decoding 47

Viterbi algorithm 50

Viterbi decoding. *See* V.32

- algorithm 50
- implementation 52
- last surviving path 55
- listing 74
- shortest path 53, 55
- state diagram 48
- state table 48
- trellis diagram 49

Vocal fold vibration 157

Vocal tract 157

Voice activity detection (VAD) 205. *See also* GSM

Voice recognition 330. *See also* Speech recognition

Voiced sound 157, 158

Voiced speech 330

W

Weighing filter 217

Wide-band ADPCM 293. *See also* ADPCM (G.722)

Z

Zig-zag scanning of DCT coefficients 453